

Talk *PRO*™

TD 511 DMR Tier II Trunking

GPS POSITIONING



DISPATCH



GEOFENCING



Recommended For

- Railways
- Airports
- Municipal Corporation
- Forest Department
- State Road Transport
- Coal Fields



- Radio meets all applicable regulatory requirements
- Radio designed to meet RDSO specifications

www.talkpro.in

TD 511

DMR Tier II Trunking

Talk *PRO*™

Iconet is India's oldest radio communications company since 1988. Its flagship brand TALK PRO has been in use for over three decades. More than a 3,50,000 radios are operational in Defense, Railways, Shipping, Hospitality, Aviation, Mining, Construction etc. It is a popular choice in India because of its extra long talk time, rugged design and high reliability.

Talk PRO DMR IP68 waterproof portable radio TD511 enjoys the advantages of loud audio output of 1.0 watt, an outstanding coverage, a long-lasting battery and more. The pseudo trunking and two time slots technologies greatly increase spectrum efficiency without any extra costs. This robust portable radio is designed and built to last more than 10 years.

- Digital/Analog Auto Changeover (DMO)
- Mandown, Lone Worker, Emergency Alarms
- IP68, water immersion upto 1.5mts depth
- 48 hours talktime
- Advanced Encryption AES 256
- Provision for SAG Encryption
- Integrated High Precision GPS
- Voice Recording (optional)
- Inbuilt Bluetooth (voice calls & data programming)
- Inbuilt Torchlight
- OTAP (Over The Air Programming)
- 2/5 tone signalling



Built in GPS with GIS Tracking



Bluetooth 4.0 for voice and data



Multisite IP Connect



14 character display



AES 256 Encryption



High Capacity 2600 mAh Li-ion Battery



Loud Audio Output (1W)



Torchlight



Auto Roaming



TD 511

DMR Tier II Trunking

Talk *PRO*™

ENVIRONMENTAL

Operating Temperature	-30°C~+70°C
Storage Temperature	-40°C~+70°C
Humidity	Max95% @+40°C Non Condensing
IP Rating	IP68



MILITARY STANDARDS

	810C		810D		810E		810F		810G	
Applicable MIL-STD	Method	Procedures	Method	Procedures	Method	Procedures	Method	Procedures	Method	Procedures
Low Pressure	500.1	I	500.2	II	500.3	II	500.4	II	500.5	II
High Temperature	501.1	I,II	501.2	I/A1, II,A1	501.3	I/A1, II,A1	501.4	I/Hot, III/Hot	501.5	I-A1, II
Low Temperature	502.1	I	502.2	I/C3, II/C1	502.3	I/C3, II/C1	502.4	I/C3, II/C1	502.5	I, II
Temperature Shock	503.1	-	503.2	I/A1/C3	503.3	I/A1/C3	503.4	I	503.5	1-C
Rain	506.1	I,II	506.2	I,III	506.3	I,II	506.4	I,III	506.5	I,III
Humidity	507.1	II	507.2	II	507.3	II	507.4	-	507.5	II
Salt Fog	509.1	-	509.2	-	509.3	-	509.4	-	509.5	-
Dust	510.1	I	510.2	I	510.3	I	510.4	I	510.5	I
Vibration	514.2	VIII/F, Curve-W	514.3	I/10, II/3	514.4	I/10, II/3	514.5	I/24	514.6	II/5
Shock	516.2	I,II	516.3	I,II	516.4	I,IV	516.5	I,IV	516.6	I,IV,VI

STANDARD ACCESSORIES



Battery



Belt Clip



Hand Strap



Stubby Antenna



Charger

OPTIONAL ACCESSORIES



**6 Position
Charger**



**Programming
Cable**



Earpiece



**Speaker
Microphone**



**Bluetooth
Earpiece**

Manufactured By

ICONET SERVICES
102 Spur Tank Road,
Chetpet,
Chennai 600031.
☎ 044-4280 9000/ 4280 9100
✉ enquiry@talkpro.in
🌐 www.talkpro.in

Dealer Stamp

